

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	((whispering adj gallery adj mode) or wgm) adj cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 12:51
L3	2	1 near5 planar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:36
L4	16	1 and cavity near5 (ring circ\$4 dis\$2 washer ellip\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:43
L5	0	1 and clad\$4 near5 (ring circ\$4 dis\$2 washer ellip\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:43
L6	0	planar adj ((whispering adj gallery adj mode) or wgm) adj cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:48
L7	14	1 and ring near3 cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:49
L8	0	1 and ring near3 clad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:49
L9	0	1 and ring same clad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:49
L10	3	1 and clad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:49
L11	0	((whispering adj gallery adj mode) or wgm) adj cavity near3 ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 13:03

L12	2	((whispering adj gallery adj mode) or wgm) near3 cavity near3 ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:58
L13	0	((whispering adj gallery adj mode) or wgm) same cavity same clad\$3 same ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 10:59
L14	0	((whispering adj gallery adj mode) or wgm) same (cavity void hole opening) same clad\$3 same (ring dis\$2 washer circ\$4 ellip\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:00
L15	256	cavity same ring same clad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:01
L16	0	1 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:00
L17	604	((whispering adj gallery adj mode) or wgm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:00
L18	8	15 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:01
L19	10	cavity near5 ring near5 clad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:01
L20	0	19 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:01
L21	54	((whispering adj gallery adj mode) or wgm) near3 cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:02

L22	3	((whispering adj gallery adj mode) or wgm) near3 cavity near5 (ring dis\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:03
L23	84	((whispering adj gallery adj mode) or wgm) adj resonator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 12:51
L24	18	23 near3 (ring dis\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 12:52
L25	0	24 same clad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 12:52
L26	0	24 same clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 12:52
L27	12742	385/12,14,27-31,40-42,129-131. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 13:00
L29	814	27 and @pd>"20050607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 13:02
L30	51	((((whispering adj gallery adj mode) or wgm) near3 (cavity resonator)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 13:09
L31	1481	385/39.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 13:09
S11	1	fiber with (side adj surface) with cladding with evanescen\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/08 09:36

S14	16	((whispering adj gallery adj mode) or wgm) adj cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:02
S17	12	S14 and evanescen\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:55
S23	66	evanescent adj optical adj coupl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:55
S26	2	S14 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:56
S27	544	((whispering adj gallery adj mode) or wgm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:57
S28	17	S23 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 13:58
S29	110	((whispering adj gallery adj mode) or wgm) adj3 (cavity or resonator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:03
S30	92	S29 and (fiber or waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:04
S31	65	S30 and evanescen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:06
S33	34	S31 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:23

S34	22	S33 and cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:23
S35	22	S34 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:23
S36	21	S35 and (ring or dis\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:24
S37	7	S36 and sens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:25
S38	6	S37 and (temperature or pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 11:28
S39	1	S36 and (sens\$3 with (temperature or pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 15:35
S40	14	"20040109217" "20040218880" "20040100675" "20020094168" "20020018611" "20010004411" "20040223697"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:12
S41	11	S40 and ((whispering adj gallery adj mode) or wgm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:12
S43	9	S41 and (fiber or waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:13
S44	8	S43 and evanescen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:17

S45	3	S44 and cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:59
S46	3	S45 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:14
S48	3	S46 and (ring or dis\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:59
S49	3	S48 and coupl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:14
S50	3	S49 and cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:16
S52	1	S50 and ((sens\$3 or measur\$3) with (temperature or pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 14:19
S55	8	fiber with cladding with ((whispering adj gallery adj mode) or wgm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 15:22
S79	2	("6859582").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/06 17:59
S82	546	(whispering adj gallery adj mode) or wgm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 10:36
S83	8	S82 with fiber with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 10:36

S84	124	S82 with waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 10:36
S85	2	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:11
S88	11928	385/12,14,27-31,40-42,129-131. cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 13:00
S89	1	S88 and ((fiber waveguide) with ((whispering adj gallery adj mode) wgm) with cavity with evanescen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:56
S92	4	(fiber waveguide) with ((whispering adj gallery adj mode) wgm) with cavity with evanescen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:27
S94	4	S92 and (ring dis\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:32
S96	12	S88 and ((fiber waveguide) same ((whispering adj gallery adj mode) wgm) same cavity same evanescen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:26
S97	31	(fiber waveguide) same ((whispering adj gallery adj mode) wgm) same cavity same evanescen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:27
S98	13	S97 and cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:55
S10 5	1020	fiber with core with cladding with remov\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:57

S10 6	4	fiber with ((whispering adj gallery adj mode) wgm) with cavity with evanescen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:57
S11 3	3	fiber with core adj removed with cladding adj removed and flat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:03
S11 4	2	wgm and sensing adj unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:12
S11 8	5	wgm with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:19
S13 0	110	((whispering adj gallery adj mode) or wgm) adj3 (cavity or resonator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:37
S13 1	92	S130 and (fiber or waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:37
S13 2	65	S131 and evanescen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:37
S13 3	34	S132 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:37
S13 4	22	S133 and cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:37
S13 5	22	S134 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:37

S13 6	21	S135 and (ring or dis\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:37
S13 7	1	S136 and (sens\$3 with (temperature or pressure or index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:41
S14 4	1	"6657731".pn. and cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 15:25
S14 5	4	fiber with waveguide with wgm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 15:26
S15 4	2	"6718097".pn. and sens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 15:57
S15 6	20	"20010004411" "20020094168" "6718097".pn. "6657731".pn. "20020114563" "20040100675" "20020018611" "20040223697" "20040109217" "20040218880"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 16:19
S15 7	6	S156 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 16:15
S15 8	1	S156 and temperature and pressure and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 16:16
S15 9	1	S156 and temperature and pressure and index and sens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 17:32
S16 0	1	"6657731".pn. and evanescen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 17:32